



Customized Cases



Spread-wing Solar Field Lighting Power Supply System

Spread-wing Solar Multifunctional Emergency Lighting Vehicle




Portable Power Series/Outdoor Sports Equipment

| | | |
|---|---|---|
| <p>LS20 solar mobile inverter power supply Battery Specification: 12V/200AH Maximum output: 1200W Product weight: 16kg</p>  | <p>LS21 Solar Portable Inverter Power Supply Power Capacity: 4200mAh Maximum Output: 250W Product Weight: 1.5kg</p>  | <p>LS19 Multi-functional Car Emergency Starting Power Supply Power capacity: 8000mAh Peak Current: 400A Product weight: 0.7kg</p>  |
| <p>LS14 Car Emergency Starting Power Supply Power Capacity: 13800mAh Maximum Output: 1200W Product weight: 0.47kg</p>  | <p>LS11 Car Emergency Starting Power Supply Capacity: 14000mAh Maximum Output: 1200W Product Weight: 0.43kg</p>  | <p>HKQ3 Car Emergency Starting Power Supply Capacity: 12000mAh Maximum Output: 1200W Product Weight: 0.35kg</p>  |
| <p>YPS18 Car Inverter Charger Power Capacity: 2400mAh Maximum Output: 85W Product weight: 0.24kg</p>  | <p>LS03 Car Emergency Starting Power Supply Capacity: 8000mAh Maximum Output: 1200W Product Weight: 0.29kg</p>  | <p>LS02 Car Emergency Starting Power Supply Capacity: 12000mAh Maximum Output: 1200W Product Weight: 0.32kg</p>  |
| <p>LS13 Car Emergency Starting Power Supply Capacity: 16800mAh Maximum Output: 1200W Product weight: 0.38kg</p>  | <p>LS37 Magnetic Wireless Charger Power Supply Power capacity: 20000mAh Cell Type: Polymer Product weight: 430g</p>  | <p>YPC03 You Pin Mobile Power 10000mAh Cell capacity: 10000mAh/3.7VWh Output Capacity: 6200mAh/5V Weight: 220g</p>  |
| <p>LTZ01 Car Emergency Starter Kit Six-in-one set: solar charging panel, car starter power, torch, engineer shovel, tow rope, floodlights Product Weight: 7.7kg</p>  | <p>YP16 You Pin Mobile Power Supply Power capacity: 10400mAh Cell type: Li-ion battery Product weight: 0.24kg</p>  | <p>YPC02 You Pin Car Emergency Starting Power Supply Starting current: 200A Peak current: 400A Cell type: lithium polymer battery</p>  |
















Emergency Energy Storage Photovoltaic Devices

When there is sunshine, there is electricity

Outdoor super-assisted, travelling without power cuts



Solar Series/Outdoor Sports Equipment

| | | |
|---|---|---|
| <p>LS22 storage solar charging panel 10W Solar Panel US Monocrystalline Panel x2PCS Expanded size:235x350x16.5mm Built-in battery:6000mAh</p>  | <p>LS25 Storage Solar Charging Panel 6W Solar panel US monocrystalline panel x2PCS Expanded size:180x335x18mm Built-in battery:6000mAh</p>  | <p>LS28 Card Case Model Solar Charging Bag 9W Solar panel US monocrystalline panelx4PCS Expanded size:570x190x22mm Product weight:450g</p>  |
| <p>LS23 Folding Solar Charging Bag 14W Solar panel US monocrystalline panelx4PCS Expanded Size:735x230x4mm Product weight:880g</p>  | <p>LS29 Folding Solar Charging Panel 9W Solar panel US monocrystalline panel x3PCS Expanded size:630x191x13mm Product weight:380g</p>  | <p>LS31 Ultra Slim Solar Charging Panel 10W Solar Panel US Monocrystalline Panel x2PCS Expanded Size:328x258x12mm Product weight:315g</p>  |
| <p>LS24 Split Solar Charging Kit 14W Solar Panel US Monocrystalline Panel x4PCS Expanded size:250x1030x25mm Built-in Battery:No</p>  | <p>LS27 Folding Solar Charging Bag 40W Solar panel US monocrystalline panelx4PCS Expanded size:370x1150x18mm Built-in battery:No</p>  | <p>LS26 Folding Solar Charging Bag 31.5W Solar Panel US Monocrystalline panel x 9PCS Expanded size:925x730x23mm Built-in battery:No</p>  |
| <p>LS34 Solar Folding Bag 80W Solar panel US monocrystalline panel x 12PCS Expanded size:250x29x29cm Product power:80W</p>  | <p>LS32 Solar Folding Charging Bag 160W Solar panel US monocrystalline panelx24PCS Expanded size:277x30x20cm Product power:160W</p>  | <p>LS33 Solar Light Panel 200W Product power:18V/200W Product size:1640*670mm Product weight:12.5kg</p>  |
| <p>LS35 Solar Charging Folding Bag Peak power:30W Power chip:CIGS copper indium gallium selenide Number of Cells:48pcs</p>  | <p>LS36 Solar Charging Folding Bag Power Chip:CIGS Copper Indium Gallium Selenide Peak Power:25W Number of cells:40pcs</p>  | <p>LS30 Spreading Wing Solar Lighting Power Supply System Power supply capacity:Dedicated ternary lithium battery pack, total capacity 1100AH Maximum output:3000W Product weight:58kg</p>  |

Night Warrior.

Emergency Lighting Equipment


















High Power Flashlight

LED Flashlights

Diving torch












Explosion-proof light
















Lighting Series/Outdoor Sports Equipment

| | | |
|---|---|--|
| <p>LO106 Diving Flashlight 10W Material: imported PC + aviation aluminium Power supply: 18650 lithium battery pack (built-in) Size: 57x238mm</p>  | <p>LO107 Diving Flashlight 6W Material: imported PC + aviation aluminium Power supply: 26650 lithium battery pack (built-in) Size: 52x200mm</p>  | <p>LO104 Diving Flashlight 3.7W Material: aviation aluminium + ABS Power supply: 18650 lithium battery x1 Size: 30x105mm</p>  |
| <p>A18+ Strong Flashlight 10W Material: 6N01-T6 hard oxidation Power: 18650 lithium battery 2400mAh Size: 34x25x126mm</p>  | <p>EC11 Strong Light Flashlight 10W Material: 6061-T6 aluminium alloy anodized Power supply: 18650 lithium battery 2400mAh Size: 41.5x142mm</p>  | <p>EC13 Flashlight 30W Material: 6061-T6 aluminium alloy sandblasted + oxidation Power supply: 18650 lithium battery 2400mAhx3 Size: 55x288mm</p>  |
| <p>LC05 LED Flashlight 5W Material: aviation aluminium alloy T6061 Power: AAA alkaline battery x1 Size: 88.5x17x16mm</p>  | <p>HID85 Xenon Flashlight 85W Material: aviation aluminium alloy Power supply: special lithium-ion battery packs Size: 380x84mm, 380x49mm</p>  | <p>LO92 Outdoor Tactical Flashlight 3W Material: 6061-T6 aluminium alloy Power supply: 18650 lithium battery 1800mAh Size: 26x116mm</p>  |
| <p>A19 Zoom Flashlight 10W Material: aviation aluminium alloy Power: 18650 lithium battery 2400mah Size: 36x140mm</p>  | <p>EJ51 LED yellow light identification torch 10W Material: stainless steel, surface plating treatment Power: 3.7V 1x18650 li-ion Size: 25x149mm</p>  | <p>LO94 Strong Light Flashlight 10W Material: aviation aluminium alloy T6061 Power supply: 18650 lithium battery Size: 126x22x22mm</p>  |
| <p>A21 Multi-functional strong light torch car safety hammer Size: Head 48xTail 34xLength 210mm Power: 2000mAh Battery: Built-in 2000mAh Weight: 320g</p>  | <p>A20 Multi-function Flashlight Size: Head 45xTail 35.5xLength 195mm Power: 20W Battery: 26650 battery</p>  | <p>SYS-8008 Hand Crank Multi-Function Flashlight Size: 133x61x38mm Battery specification: Ni-MH battery 80mAhx3, 6V Weight about 135g</p>  |

Outdoor Sports Equipment/Lighting Series

Tent Collection/Outdoor Sports Gear

| | | |
|---|---|--|
| <p>LO113 Zoom Infrared Sensor Headlamp 3W Material:6061-T6 aluminium alloy Power:1800mAhx2 Dimming mode:Strong->Weak->Flash Stretch Focusing</p>  | <p>LO114 red self dual-colour light source head light 10W Material:6061-T6 aluminium alloy+ABS Power:1800mAhx2 Dimming mode:strong->weak->flashing rotary zoom</p>  | <p>LO115 red white green tri-colour light source head light 16W Material:6061-T6 aluminium alloy+ABS Power:2400mAhx2 Dimming mode: strong->weak->flashing rotary zoom</p>  |
| <p>LC06 Direct Floodlight 10W Material:Aluminium alloy+Black ABS Power:2200mAhx3 Dimming mode: four gears dimming</p>  | <p>LC13 Direct Portable Floodlight 10W Material:Aluminium alloy+Black ABS Power supply: 2200mAhx4 Dimming mode: four gears dimming</p>  | <p>LC15 Direct Portable Floodlight 20W Material:Aluminium alloy+Black ABS Power supply:2200mAhx8 Dimming mode: one gear dimming</p>  |
| <p>LC16 Direct Charge Portable Floodlight 30W Material:Aluminium alloy+Black ABS Power supply: 2200mAhx12 Dimming mode: two gears dimming</p>  | <p>LC17 Direct Charge Portable Floodlight 50W Material:Aluminium alloy+Black ABS Power supply: 2200mAhx12 Dimming mode: two gears dimming</p>  | <p>LCP01 Floodlight Stand Storage height:60cm Maximum height:158cm Floodlight Banner:50cm</p>  |
| <p>LO111 Outdoor Riding Light 20W Material:6061-T6 aluminium alloy Power supply: battery compartment integrated Dimming mode: strong->weak->flashing</p>  | <p>EO112 Outdoor cycling light 3-speed dimming 10W Material:6061-T6 aluminium alloy Power:8800mAh Dimming mode: strong->weak->flashing</p>  | <p>Solar Radio Bluetooth Camping Light Power:14W(7*2) Bluetooth:BT5.0 Battery:5000mAh</p>  |
| <p>LYJ140 mobile lifting lighting tower Lighting power:4000W Power:8KW diesel Wind Resistance Level Grade 8</p>  | <p>LC20 Aluminium LED Lighting 30W Material: die-casting aluminium lamp body + new century chip Power supply:AC175V-265V50-60HZ Dimming mode: no</p>  | <p>LC04 outdoor mobile LED lighting 20W Material: die-casting aluminium lamp body + new century chip Power supply:AC175V-265V50-60HZ Dimming mode: no</p>  |

| | | |
|--|--|---|
| <p>LT12 bilayer Individual Soldier Tent Have test report Unfolding size:200x100x100cm Tent body material:210T polyester+PU2000mm Bottom Material: 150D Oxford cloth+PU3000mm</p>  | <p>LT13 Single-layer Individual Soldier Tent three seasons Expanded Size:200x100x10cm Tent body material: 190T polyester+PU1500mm Tent bottom material: 180G PE waterproof and tear-resistant</p>  | <p>LT14 Single Layer Individual Soldier Tent Three Season Tent Expanded Size:200x150x110cm Tent body material:190T silver coated+PU1000mm Bottom Material:210D polyester+PU1000mm</p>  |
| <p>LT28 Flood Control Inflatable Tent 8x5m Outer material:PVC coated oxford cloth Lining material:210D Oxford cloth Temperature:-25~70°C</p>  | <p>LT19 New Type Class-use Tent 2013-30 Material: camouflage tent cloth Inner tent material: 150D aluminum-coated flame retardant Oxford cloth Material: double side coated PVC tarp</p>  | <p>LT18 construction site tent 60 m² Tarpaulin Material:Thickened waterproof Oxford cloth Bracket Material:Plastic Spray Pipe Colour:army green</p>  |
| <p>LT15 Outdoor Business Tent 9m² Tent size:3x3m Tarpaulin Material:Thickened waterproof Oxford cloth Bracket material:Hercules iron frame</p>  | <p>LT17 Emergency Disaster Relief Sandwich Tent 12m² Tent size:3.7x3.2x2.67m Tarpaulin material:600D blue oxford cloth coated with PVC Bracket Material:Plastic Spraying Pipe</p>  | <p>LT16 Civil Affairs Standard Disaster Relief Tent 12m²/50m² Tent Size:3.2x3.7x2.67m Tarpaulin Material:Thickened waterproof Oxford cloth Bracket Material:Plastic Spray Pipe</p>  |
| <p>LT05 Single person Off Ground Tent PU3000 Tent size:215x80x135cm Tent cloth material:210D Oxford cloth+PU3000mm Bracket Material:25mm aluminium pole</p>  | <p>LT01 Double Layer Four Season Tent PU3000 Tent size:200x(45+150+45)x105cm Tent material: 210D waterproof PE cloth PU2000mm Bracket material: aluminium alloy</p>  | <p>LT02 Single Layer Tent PU1500 Tent size:240+150x100cm Tent Material:190T tarpaulin PU2000mm Bracket Material:Fibreglass</p>  |
| <p>LT21 Outdoor Canopy Material:210T silver coated PU2000mm Accessories: ground spike, wind rope, iron pole</p>  | <p>LT26 Mobile Tent Material:Galvanised tube + 480D silver coated fabric Gear: five adjustable gears Height:Side height 2.3m Vault height 3.2m</p>  | <p>LT29 Small Outdoor Automatic Tent Tent body quality:210D polyester coated silver UPF50+ waterproof pu2000mm Unfolding size:210'150'100cm Bracket:Ø8.5mm auto-fibre bracket</p>  |

Emergency sleeping bag series Cold area field thickened sleeping bag

















Sleeping bag, moisture-proof mat series/outdoor sports equipment

| | | |
|---|---|--|
| LSB01 Hollow Cotton Sleeping Bag 1300g Sleeping bag size: 210x80cm Sleeping Bag Fabric: 210T polyester fabrics Sleeping bag filling: hollow cotton | LSB02 Hollow Cotton Sleeping Bag 1800g Sleeping bag size: 210x80cm Sleeping Bag Fabric: 210T polyester fabrics Sleeping bag filling: hollow cotton | LSB03 Hollow Cotton Sleeping Bag 2300g Sleeping bag size: 210x80cm Sleeping Bag Fabric: 210T polyester fabrics Sleeping Bag Filling: Hollow Cotton |
|  |  |  |
| LSB04 White Duck Down Sleeping Bag 400g Sleeping bag size: 210x80cm Sleeping bag fabric: waterproof downproof tear-proof strong nylon Sleeping bag filling: 90% duck down | LSB05 White Duck Down Sleeping Bag 800g Sleeping bag size: 210x80cm Sleeping bag fabric: waterproof downproof tear-proof strong nylon Sleeping bag filling: 90% duck down | LSB07 Hollow Cotton Military Envelope Sleeping Bag Sleeping bag size: 190x65cm Sleeping Bag Fabric: 210T polyester fabrics Sleeping bag filling: hollow cotton |
|  |  |  |
| LSB09 Civil Emergency Standard Sleeping Bag Sleeping bag size: 190x65cm Sleeping bag fabric: 210T polyester Sleeping bag filling: hollow cotton | LSB08 Military Coat Cotton Sleeping Bag Sleeping bag size: 210x80cm Sleeping bag fabric: waterproof polyester cloth Sleeping bag filling: fluffy cotton + hot melt cotton | LSB10 Envelope Fleece Sleeping Bag Sleeping bag size: 180x75cm Sleeping Bag Fabric: Rocker Fleece Filling: No |
|  |  |  |
| LPM01 Single person Spliceable Automatic Inflatable Cushion Material: 190T polyester taffeta+rebound sponge Size: 190x66x3cm Weight: 1300g | LPM02 Thickened Single Automatic Inflatable Mat Material: 75D Pongee+Rebound Sponge Size: 190x66x5cm Weight: 1600g | LPM03 Foldable Single Automatic Inflatable Mat Material: 190T polyester taffeta+rebound sponge Size: 185x55x3.5cm Weight: 1000g |
|  |  |  |
| LPM04 Aluminium Picnic Mat Moisture-proof Mat Material: Aluminium film + EPE pearl cotton Size: 150x200cm Weight: 186g | LPM05 Camouflage Aluminium Foil Moisture Barrier Pad Material: camouflage oxford cloth+aluminium foil EVA Size: 190x190x0.35cm Weight: 180g | LPM06 Thickened Folding Oxford Cloth Moisture Proof Pad Material: High-density Oxford cloth Size: 100x200cm Weight: 209g |
|  |  |  |

Outdoor sports equipment/clothing series

Rain Gear Series/Outdoor Sports Equipment
















| | | |
|---|--|---|
| <p>LTZ121 Thickened cotton loose sweater set men Material: cotton + spandex Season: autumn and winter Thickness:Regular</p>  | <p>LTZ123 autumn and winter fashion suit women Material: cotton + spandex Season: autumn and winter Thickness:Regular</p>  | <p>LW007 Long Sleeve Jacket Men Material: cotton + spandex Season: autumn and winter Thickness:Regular</p>  |
| <p>LW1010 Washed Cotton Military Coat Material: polyester 80% cotton 20% Season: autumn and winter Thickness:Thickening</p>  | <p>LW009 Cashmere Cotton Military Coat Material: rain silk + cashmere cotton Season: autumn and winter Thickness:Thickening</p>  | <p>LBF01 Intelligent Heating Waterproof Punching Jacket Material:Cotton+Spandex Season: autumn and winter Thickness:Thickening</p>  |
| <p>LW004 Tactical Charge Jacket Men's International Material: 65% polyester 35% cotton Season: autumn and winter Thickness:Regular</p>  | <p>LW003 TACTICAL FLUSHING JACKET MEN'S NATIONAL STANDARD EDITION Material:65% polyester 35% cotton Season: autumn and winter Thickness:Regular</p>  | <p>NS1921 Long Sleeve Military Shirt for Women Material: cotton + spandex Season: spring and autumn Thickness:Regular</p>  |
| <p>LW1011 Punching Jacket Men's Thin Outdoor Windproof Material: cotton + spandex Season: spring and autumn Thickness:Regular</p>  | <p>LK004 Tactical Work Pants for Men Material: 65% polyester 35% cotton Season: autumn and winter Thickness:Regular</p>  | <p>LK003 Tactical Work Pants for Men Material: 100% cotton Season: spring and summer Thickness:Regular</p>  |
| <p>LW005 Spring and Autumn Long Sleeve Men's Coat Material: cotton + spandex Season: autumn and winter Thickness:Regular</p>  | <p>LTZ122 Autumn and Winter Colour Clash Sweatshirt Suit for Men Material: cotton + spandex Season: autumn and winter Thickness:Regular</p>  | <p>LW006 Waistcoat for men Fabric: cotton + spandex Season: Spring and Autumn Thickness:Regular</p>  |

| | | |
|--|--|---|
| <p>LR04 rescue split raincoat Fabric: Polyester Style: Split raincoat Thickness:Regular</p>  | <p>LR02 Ultra Thin Split Raincoat Material: 50% polyester + 50% TPU environmental protection functional fabrics Style: split model Thickness: ultra-thin</p>  | <p>LR06 Oxford Fabric PVC Rubber Layer Raincoat Material: Oxford cloth Style: Split raincoat Thickness: Routine</p>  |
| <p>LR03 Camouflage Split Raincoat Material: polyester Style: Split raincoat Thickness:Thickening</p>  | <p>LR09 Long Camouflage Raincoat 07 Style Material: PU waterproof Oxford cloth Colour:digital camouflage Technics:Heat sealing fusion process</p>  | <p>LR07 Camouflage raincoat Concealed camouflage garment Fabric: 230T Style: Trench coat Thickness: Thin model</p>  |
| <p>LR08 Long Camouflage Raincoat Material: 420D Oxford cloth Style: Windbreaker Thickness:Routine</p>  | <p>LR01 Long Thickened EVA Raincoat Material: EVA Material Style: windbreaker Thickness:Thickened</p>  | <p>LR05 Long Oxford Raincoat Material: Oxford cloth Style: Trench coat Thickness:Routine</p>  |
| <p>LSH004 men's mid-height waterproof shoes Upper Material:PVC plastic Sole Material: PVC plastic outsole Lining Material: Sweat-absorbing, breathable and quick-drying lining</p>  | <p>LSH001 Tall Rainboots Special Mining Boots Upper Material:PVC Sole Material:PVC Lining Material:Fabric</p>  | <p>LSH016 Tall Rain Shoes Upper material: PVC (polyvinyl chloride) Sole Material: Plastic Product cylinder height: high cylinder</p>  |
| <p>LYS001 Umbrella with long handle and straight pole 27 inches Material:210T waterproof cloth Style:Fibre straight pole Specification:27 inch 8 bones 10 bones 12 bones</p>  | <p>LYS002 Carbon Fibre Automatic Straight Pole Umbrella Umbrella frame: 93cm total length carbon fibre material Fabric: 210T silver gel coating Type:Automatic retractable umbrella</p>  | <p>LCM001 Straw sunshade hat Material: straw Brim: large brim Style:round top</p>  |
















Outdoor Sports Equipment/Shoes & Boots Series

| | | |
|---|--|--|
| <p>LSH009 Tall Type 07 Training Boots Sole: rubber outsole Body: Leather + Mesh Type: Flat Heeled High Top Shoes</p>  | <p>LSH006 High-top desert tactical boots Sole: Anti-fur, Kaudula Type: Flat, high-tops</p>  | <p>LSH010 High Top Canvas Combat Boots Sole: Wear-resistant rubber sole Body: Canvas Type: Flat Heeled High Top Shoes</p>  |
| <p>LSH011 high top hiking shoes military fan combat boots Sole: rubber outsole Body: Slightly Suede Type: Flat Heel High Top Shoes</p>  | <p>LSH005 Outdoor Non-slip Tactical Boots Sole: rubber outsole Body: Anti-fur, Kaudula Type: Flat heel high top shoes</p>  | <p>LSH007 labour insurance shoes 6KV electric insulation Sole: rubber outsole Body: Leather Type: Flat Heel Low Top Shoes</p>  |
| <p>LSH008 steel toe anti-puncture labour insurance shoes Sole: rubber outsole Body: Leather Type: Flat Heel</p>  | <p>LSH015 Unified Fire Rescue Boots 17 Type Sole: solid rubber sole Body: Cowhide + Oxford cloth Type: Flat Heel High Top Shoes</p>  | <p>Water Rescue Vulcanised Shoes Material: Neoprene+Nylon+Silicone Application: water rescue, diving and other underwater sports Features: elastic, soft, light, irregular concave sole Convex non-slip design, strong grip</p>  |
| <p>LSH013 standard steel toe cap rescue boots Sole: solid rubber sole Body: Cowhide + Oxford cloth Type: Flat Heel High Top Shoes</p>  | <p>LSH012 camouflage canvas rubber shoes Sole: Rubber Body: Canvas Type: Flat Heeled Low Top Shoes</p>  | <p>Forest fire boots 19 models Material: flame retardant cowhide + flame retardant cloth + flame retardant sole Anti-puncture layer: Kevlar Adaptation: forest fire prevention and so on</p>  |
| <p>LSH013 standard steel toe cap rescue boots Sole: solid rubber sole Body: Cowhide + Oxford cloth Type: Flat Heel High Top Shoes</p>  | <p>Firefighting boots model 17 Sole: rubber Body: Canvas Type: Flat Heel Low Top Shoes</p>  | <p>Firefighting boots 97 paragraph Sole: Flame retardant rubber Body: Foam Type: Flat heel high top shoes</p>  |
















Folding table and chair series/outdoor sports equipment

| | | |
|---|---|--|
| <p>LFT01 Outdoor Portable Aluminium Folding Table Material: Aluminium alloy Size: 52x52x54cm Weight: 2kg</p>  | <p>LFT02 Outdoor Portable Aluminium Folding Table Material: Aluminium alloy Size: 70x64x50cm Weight: 3.5kg</p>  | <p>LFT03 Oxford cloth portable folding table Material: Iron rod+600D waterproof Oxford cloth Size: 49x49x40cm Weight: 1.1kg</p>  |
| <p>LFT04 Field Folding Blow Moulding Table Material: HDPE high density polyethylene Size: 120x60x75cm Weight: 10kg</p>  | <p>LFT14 Egg Roll Folding Table Material: Aluminium alloy Size: 120x60x44cm Weight: 10kg</p>  | <p>LFD005 Long Folding Table Material: Thickened density board + carbon steel frame Size: 160x75Cx(40/60)cm Weight: 4.6kg</p>  |
| <p>LFT05 Field Steel Folding Table and Chairs Material: Cold Rolled Plate+Metal Bracket Size: 120x120x75cm Weight: 15.5kg</p>  | <p>LFT16 Portable Folding Emergency Table and Stool Suitable for: Self-driving, camping, outdoor picnic, etc. Expand: 70x68x64cm Material: aluminium alloy</p>  | <p>LFT17 Tri-fold Aluminium Folding Table Size: 180x60x54/62/70cm Material: Aluminium alloy + fireproof board Suitable: Self-driving, camping, outdoor picnic, etc.</p>  |
| <p>LCH010 Field Command Chair Material: steel tube+wooden bar Size: 39x36x68cm Weight: 2.6kg</p>  | <p>LCH011 Multifunctional Writing Chair Material: High-quality steel + ABS engineering plastics Size: 320x706x620mm Weight: 4.5kg</p>  | <p>LCH015 High Waisted Moon Chair Product material: iron tube + 600D Oxford cloth Expanded size: 40x34x86cm Storage size: 15x42x12cm</p>  |
| <p>LCH012 Plastic Folding Chair Material: PE virgin plastic + iron pipe Size: 700x40x44cm Weight: 1.6kg</p>  | <p>LCH02 Director Folding Chair Material: PE zinc iron + 600D waterproof Oxford cloth Size: 54x52x81cm Weight: 3kg</p>  | <p>LCH07 High-end Oxford cloth folding chair Material: Zinc iron bar+600D waterproof Oxford cloth Size: 58x40x40cm Weight: 1.3kg</p>  |

Outdoor Sports Gear / Backpack Series

| | | |
|---|--|--|
| <p>LBM01 Tactical Waist Pack 3L Material:High strength waterproof 600D nylon Size:15x10x3cm Weight:0.15kg</p>  | <p>LBM06 Oxford cloth tactical hip pack 5L Material:Oxford 600D encrypted waterproof fabric Size:26x17x19cm Weight:0.26kg</p>  | <p>LBM02 Tactical Crotch Bag 3L Material: High strength waterproof 600D nylon Size:18x10x9cm Weight:0.18kg</p>  |
| <p>LBO03 Outdoor Hiking Bag 40L Material:600D ripstop checkered ultra-light waterproof nylon Size:50x30x20cm Weight:1.3kg</p>  | <p>LBO01 Outdoor Hiking Bag 18L Fabric:420D nylon + nylon plaid waterproof fabrics Size:45x28x15cm Weight:1.1kg</p>  | <p>LBM04 American Tactical x7 Pck 20L Material:600D encrypted oxford waterproof fabrics Size:45x30x23cm Weight:1kg</p>  |
| <p>LBO02 Ultralight Waterproof Nylon Cycling Bag 15L Material:600D ripstop checkered ultra-light waterproof nylon Size:44x30x19cm Weight:0.9kg</p>  | <p>LBM07 Tactical Shoulder Bag 45L Material:900D waterproof oxford fabric Size:30x30x50cm Weight:1.25kg</p>  | <p>LBM03 American 4-in-1 Combination Military Bag Material:600D encrypted oxford waterproof material Size:55x45x15cm Weight:2.1kg</p>  |
| <p>LBM09 Emergency Rescue Backpack 65L Material:Oxford waterproof fabrics Size:H75xW35xT11x24cm Capacity:65L</p>  | <p>LBM10 Emergency Rescue Carrying Backpack 100L Material:Oxford cloth Size:100x40x26cm Weight:2.4kg</p>  | <p>LBM08 Firefighting Shoulder Bag 45L Material:900D waterproof Oxford fabrics Size:30x30x50cm Weight:1.25kg</p>  |
| <p>LBO04 Professional Mountaineering Bag 60L Material:600D waterproof nylon Size:60x30x20cm Capacity:60L Weight:1.65kg</p>  | <p>LBM12 Men's Casual Cowhide Shoulder Bag Size:30x27x10cm Material:Cowhide Lining:high quality polyester</p>  | <p>LBM13 Business Casual Shoulder Bag Size:40x30x12cm Material:Oxford cloth + polyester lining Volume: 16L Weight:420g</p>  |

Knife and Axe Shovel Series/Outdoor Sports Equipment

| | | |
|---|---|--|
| <p>LP01 Multifunctional engineer shovel Handle Material:high hardness aerospace aluminum Shovel head material: 5CR15MOV Shovel blade hardness:58HRC</p>  | <p>LP02 Multifunctional engineer shovel with Flashlight Handle material: high hardness aviation aluminium Shovel head material: 8CR17MOV Shovel blade hardness:58HRC</p>  | <p>LP03 Multi-functional engineer shovel Handle material: high hardness aviation aluminium + polymer silicone Shovel head material: 9CR18MOV Shovel blade hardness:60HRC</p>  |
| <p>LP04 Multifunctional engineer shovel Handle material: high hardness aviation aluminium Shovel head material: 5CR15MOV Shovel blade hardness:58HRC</p>  | <p>LPY03 Multi-functional engineer shovel Handle material: aluminium alloy Shovel head material: 420 stainless steel Blade hardness:54HRC</p>  | <p>LPY04 Multi-functional engineer shovel Handle material: aviation aluminium alloy Shovel head material:4CR14MOV Shovel blade hardness:58HRC</p>  |
| <p>LPY05 Multi-functional engineer shovel Handle material: high hardness aviation aluminium alloy Shovel head material: 4CR14MOV Product hardness:58HRC</p>  | <p>LPY06 Multi-functional engineer shovel Handle material: high hardness aviation aluminium Shovel head material: 4CR14MOV Product hardness:58HRC</p>  | <p>LPY07 military shovel Hardness:HRC42-50(Cold rolled copper plate) Tip size: 120cm long, shovel head width 23.5xlength 30cm. Square head size length: 120cm, head width 24.5xlength 30cm.</p>  |
| <p>LA02 Tactical Axe Shank Material: Polymer Silicone Blade material:7CR17MOV Hardness:58HRC</p>  | <p>LA03 Multi-Functional tactical axe head Shank Material:Aerospace Alloy + Polymer Silicone Sleeve Blade Material:7CR17MOV Hardness:58HRC</p>  | <p>LA05 Multifunctional tool axe 16 in 1 Size: 160x89x22mm Weight:400g Material:stainless steel</p>  |
| <p>LK07 Water Rescue Rope Cutter Material:58HRC Titanium Alloy+ABS Weight:105g Length:188mm</p>  | <p>LK09 Multi Tool Knife 14 in 1 Material:Stainless steel+Aluminium oxide Blade length:54mm Total length:159mm</p>  | <p>LPY08 Iron Pick Iron pick hardness:45-52HRC Small military pick size: wooden handle 57cm, pickaxe length 37cm Large pick size:Wooden shank 85cm, head length 48cm</p>  |

Give you the dream of nature

Outdoor Portable Folding Bed/Disaster Relief Tent/
Emergency Folding Table and Chairs



Emergency Folding Table and Chairs



Marching Folding Bed




Emergency Folding Table



Emergency Folding Bed

Folding Bed Series/Outdoor Sports Equipment
















| | | |
|---|---|---|
| <p>LFD001 Single off the ground folding bed for nap Material:steel tube+600D Oxford cloth Size:180x60x35cm Weight:5.4kg</p>  | <p>LFD002 Single off the ground folding bed for marching Material:steel tube+600D Oxford cloth Size:71x190x36cm Weight:8kg</p>  | <p>LFD004 Civilian Emergency Folding Bed Material:steel tube+600D oxford cloth Size:185x70x35cm Weight:11kg</p>  |
| <p>LFD003 Emergency Folding Bed Material:Iron pipe+Oxford cloth Size:63x182x35cm Weight:4.5kg</p>  | <p>LFD006 Military Folding Bed with Steel Plastic Material:Plastic Size:200x81x43cm Weight:20kg</p>  | <p>LFD007 Portable Camouflage Folding Bed Material:Aluminum alloy+600D Oxford cloth Size:190x69x43cm Weight:5.8kg</p>  |
| <p>LFD008 Bamboo Folding Bed Material:Bamboo board+metal frame Size:190x94x40cm Weight:16kg</p>  | <p>Three-purpose recliner folding bed Material:steel tube+600D oxford cloth Size:178x60x68cm Weight:8.6kg</p>  | <p>LFD010 Folding Bed with Four Legs Material:1200D Oxford cloth+high strength steel tube Size:193x68x30cm Weight:8kg</p>  |
| <p>LFD011 Hardboard Quad Folding Bed Material:sponge+iron square tube Size:190x90x30cm Weight:19kg</p>  | <p>LFD012 Stainless Steel Folding Bed Material:Stainless steel Size:197x120x33cm Weight:14kg</p>  | <p>LFD013 Office Folding Bed with Chair Material:Pearl Cotton+Thickened Square Tube Size:175x59x30cm Weight:11kg</p>  |
| <p>Two-Fold Full Plastic Folding Bed Material:High pressure polyethylene Size:195x75x34cm Weight:16.5kg</p>  | <p>Outdoor marching folding bed Material:Oxford cloth+aluminium alloy Size:192x69x18cm Weight:2.5kg</p>  | <p>Portable Aluminium Alloy Marching Bed Material:Iron tube+ABS+Oxford cloth Size:190x62x42cm Weight:6.2kg Load capacity:150kg</p>  |



Forever Climbing

Climbing Rescue Rope Series

Climbing Rescue Rope Series

| | | |
|---|--|---|
| <p>LPC11 Seated Triple D Ring Half Body Harness Material: High-strength polyester yarn + hot forged aluminium-magnesium alloy Waist: 70cm-100cm Leg circumference: 52cm-64cm</p>  | <p>LPC12 Back Half Body Harness Material: polypropylene+alloy steel Overall tension: 4.5KN Use: Aerial installation etc.</p>  | <p>LDK16 Light Duty Safety Buckle Four holes diameter: >12.6mm Product size: 145*47mm Working load: 5KN Ultimate load: 13.5KN Product net weight: 200g</p>  |
| <p>LDK11 Eight Rings Descender Material: High strength aluminium alloy Weight: 142G Applicable rope diameter: 8-13mm</p>  | <p>LDK12 Manual Descender Material: Hot forging aluminium-magnesium alloy Size: 23x5x2.5cm Weight: 340g</p>  | <p>LDK08 Throwing Hook Flying Tiger Claw Material: Iron Spread: 25x22.8cm Weight: 0.9kg</p>  |
| <p>LDK05 Hand ascender Material: Aluminium alloy Size: 20x9cm Weight: 175g</p>  | <p>LDK06 Chest ascender Material: Aluminium Alloy Size: 11x6cm Weight: 125g</p>  | <p>LDK09 Alloy Steel Double Pulley Material: Alloy Steel Size: 10.8x5x2.5cm Weight: 368g</p>  |
| <p>LDK01 Alloy Steel O-Locking Clip Material: Imported stainless steel Size: 11x5.8cm Opening: 1.8cm</p>  | <p>LDK03 Aluminium Alloy Auto D-Shape Shackle Material: Aluminium-magnesium alloy Size: 11.5x7cm Opening: 2.2cm</p>  | <p>LDK15 Fire Lightweight safety hook Breaking strength of long shaft: ≥30KN (closed) (open: 8KN) Breaking strength of short shaft: ≥10KN (closed) Opening distance: ≥22.8mm Material: Aluminium alloy Product size: 110*75mm Product weight: 80s Shi 5g</p>  |
| <p>LDK13 Steel Cone Material: Steel Weight: 280G Adaptation: Mountaineering climbing, expansion, etc.</p>  | <p>LDK07 Fall Arrestor Material: Alloy Steel Size: L 11.4cm W 6.6cm S 1.8cm</p>  | <p>LDK10 Large Single Pulley Material: Hot forged aluminium-magnesium alloy Size: 12.1x8.3x2.3cm Weight: 240g</p>  |

Emergency relief materials/emergency rope series

| | | |
|---|--|---|
| <p>LPC04 Climbing RopeΦ9MM Material: nylon (high-strength nylon) Diameter:φ9mm Tensile force:12KN</p>  | <p>LPC03 Main Climbing RopeΦ12MM Material:Nylon(High Strength Nylon) Diameter:Φ12mm Tension:21KN</p>  | <p>LPC02 Lightweight Fire Safety Rope Material:nylon + polyester core Diameter:9.5mm x 0.5mm Length:≥20m</p>  |
| <p>LPC06 Self-illuminated guide ropeΦ8mm Material: bulletproof fibre Diameter:Φ8mm Tensile force:10KN</p>  | <p>LPC08 Water Safety Rope φ11mm Material:Continuous Fibre Sandwich Rope Diameter:Φ11mm Tensile force:20KN Elongation:3.5%</p>  | <p>LPC09 Lifesaving Rope φ10.5mm Material:Nylon fibre Diameter:Φ10.5mm Tensile force:25KN High temperature resistance:<204°C</p>  |
| <p>LPC10 Firefighting Lightweight Safety RopeΦ12.5mm Material:Nylon Diameter:Φ12.5mm Tensile force:30KN Elongation:5.5 per cent High temperature resistance:≤204°C</p>  | <p>LPC14 Emergency Safety Rope Material:High strength polyester fibre + steel wire core Diameter:Φ10mm Length:15M</p>  | <p>LPC16 flat belt Breaking strength:≥30KN Length:2x0.1m Product weight:80±2g</p>  |
| <p>LPC17 Self-rescue safety rope Diameter:8x0.1mm Product length:≥16±0.1m Breaking strength:>22.5KN</p>  | <p>LPC18 moulding grab knot rope Breaking strength:≥18KN Length:≥1±0.1m Product diameter:8x0.1mm</p>  | <p>LYJ132 Polyethylene Plastic Life Ring Rope diameter: 1.2cm Rope length:30M reflective models Outer diameter size:72cm Inner diameter size:44cm</p>  |
| <p>LPC13 Towing Rope Specification:5x500cm Strength:8 tonnes (please use within the rated tonnage) Weight:1.233kg</p>  | <p>LPC05 synthetic fibre rope tightener Specification: 3 tonnes 5 tonnes 10 tonnes Material:polyester fibre high strength polyester yarn Features:High strength, wear-resistant, anti-oxidation</p>  | <p>LPC15 Emergency Escape Self Rescue Safety Rope Set Set weight:1600 earth 10g Set list:Multi-functional rope bag*1, Diameter 8MM high temperature resistant self-rescue safety rope *1, Lightweight safety hook *2, Adjustable descender *1, Forming grab knot rope *1, Rope Discharger*1, Flat Belt*1</p>  |


Gloves Series/Emergency Relief Materials

| | | |
|---|--|--|
| <p>LG04 Full Finger Airborne Sliding Tactical Gloves Material: cowhide + nylon material Finger length: full finger Thickness:Regular</p>  | <p>LG03 Full Finger Outdoor Thin Tactical Gloves Material: double-layer cowhide leather + high-strength elastic fibre Finger length:full finger Thickness:Regular</p>  | <p>LG01 Half Finger Military Gloves Material: staircase cloth + cowhide leather Finger Length:Half Finger Thickness:Regular</p>  |
| <p>LG08 Half Finger Tactical Gloves Material:Nylon Finger Length:Half Finger Thickness:Regular</p>  | <p>LG02 Half Finger Tactical Gloves Material: staircase cloth + cowhide Finger Length:Half Finger Thickness:Regular</p>  | <p>LG07 Half Finger Nylon Gloves Material: nylon Finger Length:Half Finger Thickness:Regular</p>  |
| <p>LG05 White & Blue Nitrile Gloves Material:white blue nitrile+polyester Finger length: full finger Thickness:Regular</p>  | <p>LG06 Uniform Rescue Gloves Material: cowhide suede + para-aramid knitted fabric Finger length: full finger Thickness:normal</p>  | <p>LG09 Nitrile Dipped Gloves Material:Spandex+Glass Fibre Finger length:full Thickness:Regular</p>  |
| <p>LG13 Food Grade Cut Resistant Gloves Material:High strength polyethylene Grade:Grade 5 cut resistant Thickness:Regular</p>  | <p>LG11 Thickened wear-resistant cotton yarn gloves Material: nylon thread Finger length: full finger Thickness:Thickened</p>  | <p>LG10 Disposable Latex Gloves Material: powdered latex Finger length:full finger Thickness:regular</p>  |
| <p>LG12 Anti-cut gloves Material: polymer polyethylene fibre + stainless steel mesh coating Size: average size Finger length: full finger Thickness:regular</p>  | <p>LG14 Anti-slip Gloves Material: high quality cotton yarn + PVC glue point Size: average size Suitable for:Automobile maintenance, hardware processing, etc.</p>  | <p>Firefighting gloves 97 Version Use: hand and wrist protection when extinguishing fires Style: five-finger type Features: flame retardant, non-slip</p>  |

Special Clothing Earthquake Relief



Emergency Tools Series/Emergency Relief Materials
















| | | |
|--|--|---|
| <p>LTZ133 training clothes rescue work clothes Material: TC85/35 anti-static yarn card Style: long sleeve Thickness: Regular</p>  | <p>LTZ134 forest fire suit Fabric: Aramid interwoven fabrics Style: long sleeve Thickness: regular</p>  | <p>LTZ135 Firefighting suit 97 type Material: 100% Aramid Style: long sleeve Thickness: Regular</p>  |
| <p>LTZ132 quick-drying rescue suit Material: Quick-drying fabric Style: short sleeve Thickness: thin</p>  | <p>LWO16 Reflective Vest Patchwork Style Fabric: knitted fabric + reflective stripes Style: short sleeve Thickness: thin</p>  | <p>LW015 reflective waistcoat simple style Material: low stretch silk + reflective stripes Style: short sleeve Thickness: thin</p>  |
| <p>LDY96 Work Life Jacket Specification: 58x40cm Weight: 225g Material: Foam+Oxford cloth</p>  | <p>LDY95 Work Lifejacket Specification: 54x40cm Weight: 125g Material: polyethylene foam+oxford cloth</p>  | <p>LDY94 marine work life jacket with test report Specification: 58x42cm Weight: 225g Material: polyethylene foam EPE</p>  |
| <p>LDY97 Firefighting lifejacket enhanced model Specification: 55x50cm Weight: 480g Material: Foam+Waterproof Oxford cloth</p>  | <p>LDY98 firefighting life jacket universal model Specification: 55x50cm Weight: 420g Material: foam+waterproof oxford cloth</p>  | <p>LDY99 Thickened Oxford cloth life jacket Buoyancy: >9.5kg(93.1N) Weight: >100kg(980N) Self-weight: >0.578kg(5.6N)</p>  |
| <p>LDY100 High Buoyancy Lifejacket Material: EPE closed cell foam+180D oxford spinning Size: 48x8x70cm Buoyancy: >11.8kg(115.6N) Weight: >100kg(980N) Self-weight: >0.6kg(5.9N)</p>  | <p>LDY101 Work Lifejacket Material: Polyethylene foam Size: 48x8x60cm Buoyancy: >7.5kg(73.5N) Load capacity: >100kg(980N) Product weight: >0.6kg(5.9N)</p>  | <p>LYJ138 Glass Fibre Fire Blanket Specification: 1x1m/1.5x1.5m Weight: 350g Material: glass fibre</p>  |

Forest firefighting and rescue equipment

Remote high-pressure fire pump/powerful wind extinguisher







Emergency tools series/emergency relief materials

| | | |
|---|--|---|
| <p>Small hydraulic jacking device Maximum bracing force: 130kN Closed length: ≤ 450mm Stroke: 300mm Operating range: 450~750mm</p>  | <p>Fire fighting smoke exhaust fan Features: high temperature resistant copper wire motor, high wind power, easy to install Material: carbon steel Specification: support customised</p>  | <p>Firefighting life-saving lighting line Rated voltage: DC 12V Rated capacity: 7Ah Lighting wire body: 50M</p>  |
| <p>Electric Air Breathing Apparatus Full load working time: more than 5 hours Air supply flow: ≥ 170L/M Exhalation resistance: ≤ 98Pa(30L/Min) Oil mist transmission rate: $\leq 0.0005\%$ Mask leakage coefficient: $\leq 0.0005\%$</p>  | <p>Hand-carried motorised fire pump Maximum flow rate: 50T/h Maximum suction depth: 7m Lift: 56m</p>  | <p>Fire Fighting Pontoon Pump Outlet: 65mm Suction port: 80mm Head: 60M</p>  |
| <p>Motorised wind extinguisher for forest fire fighting Engine displacement: 51CC Wind speed: 93m/s Air volume: 950m³/h</p>  | <p>Electric fire extinguishing water gun Material: stainless steel+plastic+rubber tube Spraying method: DC+mist Specification: 18L</p>  | <p>High-pressure water mist fire extinguisher Scope of application: Extinguish the initial forest fire and residual fire Working pressure: 5~6Mpa Rated flow: 4~5.5L/MIN</p>  |
| <p>LP10 Electric Chain Saw Voltage: 42V Chain speed: 20/s Guide plate length: 14-16" Peak power: 380W Battery pack quantity: 2pos(21V*2) Fast charging time: 1.5/3hours Rated power: 2000W</p>  | <p>LP09 High Branch Saw Product capacity: 21V6.0Ah No-load speed: 1800r/min Chain speed: 3.5m/s Noise: 93dB Cutting length: 20cm Fast charging time: 2.5h Guide plate size: 43cm</p>  | <p>Petrol toothless saw Displacement: 95cc Rated power: 4.5KW Maximum speed: 8500RPM Cutting depth: 100MM</p>  |
| <p>Four-stroke brushcutter Engine displacement: 45CC Maximum power: 2.8KW Ignition mode: pull disc recoil</p>  | <p>Portable High Power Petrol Felling Saw No-load speed: 12800R/MIN Displacement: 60CC Power: 2.7kw</p>  | <p>Portable wind and water fire extinguisher Outlet air volume: ≥ 0.45m³/s Effective fire extinguishing distance: $\geq 18$7CM Displacement: 65cc</p>  |

Emergency relief materials/emergency tools series

| | | |
|---|---|--|
| <p>Fire Fighting Inflatable Tent Tarpaulin waterproof oxford cloth Air column: PVC airtight cloth Features: windproof and anti-inch, wear-resistant and durable, support customisation</p>  | <p>Fire Drill Channel Tent Tarpaulin waterproof oxford cloth Air column:PVC mesh cloth Features: expansion activities, escape drills, support customised</p>  | <p>Fire Drill Channel Tent Tarpaulin waterproof oxford cloth Pillar:PVC mesh Features: expansion activities, escape drills, support customised</p>  |
| <p>Multi-person inflatable decontamination tent Tarpaulin:waterproof oxford cloth Air column:PVC netting Features: fire decontamination, support customisation</p>  | <p>Single inflatable decontamination tent Tarpaulin:waterproof oxford cloth Air column:PVC mesh Features:fire decontamination,support customised</p>  | <p>Public inflatable decontamination tent Tarpaulin:waterproof oxford cloth Air column:PVC mesh Features:fire decontamination,support customisation</p>  |
| <p>Firefighting life-saving air cushion Material: high strength fibre cloth Component: air cushion + blower + bobbin Application: 15-50M</p>  | <p>Torso Fixed Airbag Material: flame retardant material + nylon Performance: vacuum forming principle, the air cushion air out of the formation of hard fixed moulding body, lightweight and simple</p>  | <p>Portable electric dual-use pliers Shear force:313KN Expansion distance:295mm Traction force:200KN</p>  |
| <p>Forest No.2 Fire Fighting Tool Flame Whip Material:rubber strip+wooden handle Function:Quickly extinguish grass and forest fires</p>  | <p>Forest 3 Fire Extinguishing Tool Wire Lighter Whip Material: stainless steel Role:Quickly extinguish grass, forest and other fires</p>  | <p>Fire Rescue Tripod Material:High strength lightweight aluminium Load:1200KG Steel wire:30M</p>  |
| <p>Firefighting Demolition Axe Axe head material:High carbon steel Handle Material:Solid wood Scope of application:Firefighting breaking and demolition, etc.</p>  | <p>Portable Firefighting Waist Axe Material:High carbon steel Characteristics: flat cut, sharp chop, bend fence, etc. Application: rescue emergency, forest rescue, etc.</p>  | <p>Portable quick cutter Cutting range:M6-M27 Stroke:22mm Output:12T</p>  |


Emergency tools series/emergency relief materials

| | | |
|---|---|---|
| <p>Water Rescue Ox-Tail Rope Material:Nylon webbing Ø-ring: 3.4 stainless steel Quick Release Buckle:Aircraft Aluminium Locking force:25KN</p>  | <p>Multi-functional water rescue stretcher Composition:Stretcher body + floating module Weight:±15kg Stretcher load:≥150KG</p>  | <p>Inflatable Rescue Paddle Board Material:PVC+EVA Weight:180KG Weight:17KG</p>  |
| <p>Water Rescue Life Rope Bag Rope material:high strength acrylic compound wire Rope bag material:waterproof coated oxford cloth Rope diameter:Ø8mm</p>  | <p>Lifesaving floating mark Material:High density polyethylene Size:80x30cm Buoyancy:220N</p>  | <p>Water rescue signal lamp amphibious Flash light:Xenon lamp Light:LED light Waterproof level:Underwater 100 metres</p>  |
| <p>LYJ141 lifesaving thrower Working pressure:200bar Rope size:4*120mm Throwing distance:80-120m</p>  | <p>Lifesaving Training Dummy Material:PE Net weight:8KG Full water:50KG</p>  | <p>Big buoyancy life jacket for rapids Fabric:Oxford cloth Buoyancy:>100N Application:water rescue, rescue, etc.</p>  |
| <p>High head submersible pump Motor power:50KW Flow:100m³/h Head:100m</p>  | <p>Portable submersible sewage pump Motor power:22KW Flow rate:500m³/h Head:10m</p>  | <p>Explosion-proof light-duty pump for diesel engine drainage Maximum suction lift:8m Maximum head:23m Power:36KW</p>  |
| <p>Trailer-type Drainage Pump Truck Maximum suction lift:8m Maximum head:23m Power:36KW</p>  | <p>Remote high pressure water supply fire pump Power:26KW Head:1100m Water Distance:>5000m</p>  | <p>Trailer type multi-functional integrated drainage vehicle Maximum suction range:7m Engine power:25KW Lift:10m</p>  |

Water Rescue Equipment

Remote Control / Rapid Deployment / Speed and Buoyancy



Protect your life Escort


















Emergency tools series/emergency relief supplies

| | | |
|---|--|---|
| <p>HD Camera Underwater Drone Maximum depth:100M Endurance:4h(hydrostatic environment) Buoyancy:±10g</p>  | <p>Rescue buoyancy salvage bag Material:High strength PVC coated cloth Inflating time:3.5min Specification:250KG</p>  | <p>Inflatable Ice Rescue Pontoon Product material: high strength PVC Enhanced Floating Height:±150mm Product weight:±580KG</p>  |
| <p>Dry Water Rescue Suit Material: 3-layer waterproof and breathable composite nylon cloth Features:Ultra-light wear-resistant waterproof and breathable Zip:Tizip</p>  | <p>Wet Water Rescue Suit Features: Reduced resistance in the water, flexible movement Material: 3mm neoprene rubber Zip: YKK</p>  | <p>LYJ145 Boat manoeuvre Power:30hp/22kw Speed:4500-5500r/min Stroke:2-stroke Displacement:496cc</p>  |
| <p>LYJ144 Ambulance Boat Material: rubber hull + aluminium alloy bottom Rubber thickness:1.2mm External size:430*190cm Specification:4.3m</p>  | <p>Water Rescue Salvage Bag Set Configuration: salvage bag + inflatable bottle + inflatable pump + aluminium alloy equipment box + fast insertion tube for air cylinder</p>  | <p>Water rescue package Configuration:Water Rescue Helmet+Water Rescue Gloves+Water Rescue Boots+Rapids Life Jacket+Special Rescue Suit+Loud Whistle+Water Rescue Knife+Multi-Purpose Signal Light+Rope Throwing Bag</p>  |
| <p>Self-carrying diving equipment set Configuration: full face mask + underwater intercom + surface base station + dry suit + wet suit + buoyancy regulator vest + diver's own cylinder + rescued person's breathing system + regulator + spare second respirator + multifunctional instrumentation + dive torch + multifunctional dive knife + dive gloves + dive shoes + dive shoes + dive feet diamonds + dive weighting system + dive equipment box + fuel air fill pump + electric air fill pump</p>  | <p>Long distance thrower Landing throwing distance:±350M Distance for water use: ≤250M Conforms to the standard: GB/T27905-2011 Life-saving Throwing Apparatus.</p>  | <p>Multi-function rescue pole salvage pole Salvage pole material:carbon fibre Rescue tools:9pcs Total number of sections:9</p>  |
| <p>Lifesaving Net Product size:±5x1.2M Webbing width:±5cm Rupture strength:±46.4 KN</p>  | <p>Water Rescue Tool Set Configuration:50m static rope 1 + rope protection rope cover 1 piece + climbing hook D-type auto-lock 5 + safety hook manual C-lock 5 + 30m floating lifeline 1 + corner protection wheel 1 + mountaineering rope bag 1 + steel cable anchor point 1 + single pulley 3 + auxiliary rope 2 + flat belt 1 + equipment care package 1 + eight ring 2 + force distribution plate 1</p>  | <p>Ice Rescue Tool Set Configuration:ice axe 1 + ice claw (with bag) 1 set + ice pick set 1 set + wrist strap 1 pair + snow saw 1 + snow anchor * a + snow cone 1 + crawling ice pick 1 group + handheld sonar depth measuring instrument 1 Platform</p>  |

Emergency relief materials/emergency tools series

| | | |
|---|--|---|
| <p>LYJ128 High fence water retaining horse Specification:300x1800mm Weight:8kg Colour:red</p>  | <p>LYJ129 water horse fence Specification:1500x800mm Weight:5.5kg Colour:red</p>  | <p>LYJ127 Rubber conical barricade Specification:Conventional square cone Weight:1.6kg Colour:black+red</p>  |
| <p>LYJ134 Solar Traffic Warning Lights Power:2W Voltage:3.5V Colour:red</p>  | <p>LMQ01 Foldable Lithium Battery Shouter Material:ABS plastic steel Size:135x250x210MM Power:35W</p>  | <p>LYJ131 Thickened Disc Warning Tape Material:12 silk polyester cloth Size:0.04x100m Colour:red, white</p>  |
| <p>LMS003 Warning Light 54CM Material:PVC pipe body ABS handle Size:54x4cm Power:1W</p>  | <p>LMQ02 Fixed Hand Crank Siren Material:Aluminium alloy Size:460x370x580mm Sound:120dB</p>  | <p>LMQ05 Aluminium Alloy Whistle Material:Aluminium alloy Adaptation: survival, search and rescue, command, etc. Volume:≥120dB</p>  |
| <p>LYJ147 Emergency Thermal Blanket First Aid Blanket Material:PET film + coating Specification:130*210cm Colour:double-sided silver</p>  | <p>LCA06 safety helmet high quality model Material:Fibreglass Colour:red Type:pressure resistant helmet</p>  | <p>LCA05 safety helmet ordinary model Material:ABS plastic Colour:yellow Type:pressure-resistant helmet</p>  |
| <p>LYJ126 Municipal iron horse regular model Material:iron pipe Colour:yellow+black Size:1x1.5m</p>  | <p>LYJ130 Flood Control Sandbag Material:Thickened canvas Use:Flood control Size:35x70cm</p>  | <p>LYJ136 Acrylic Warning Signs Material:Acrylic Thickness:3mm Process:Domestic UV printing</p>  |

Clothing series/military police supplies

| | | |
|--|--|---|
| <p>LW029 Hooded Breathable Spring and Autumn Regular Wear Material:100% nylon Fabric one meter square gram weight : 165g/㎡±5 Fabric two meter square gram weight: 130g/㎡±5</p>  | <p>L TZ126 Short Sleeve Physical Fitness Suit Material: cotton Style: short-sleeved Thickness:Regular</p>  | <p>L TZ129 children's physical fitness clothing suit Material: speed thousands of mesh Style: short-sleeved Thickness:thin section</p>  |
| <p>L TZ131 Long Sleeve Camouflage Suit Material:cotton Style: long-sleeved Thickness: regular</p>  | <p>L TZ130 Summer Camouflage Suit Material:Cotton Style: short-sleeved Thickness:Regular</p>  | <p>L TZ127 Long Sleeve Camouflage Suit Material:Cotton Style: long-sleeved Thickness:Regular</p>  |
| <p>LW028 Thermal energy reflection warm coat Main Material:60% Polyester+35% Cotton Lining:100% polyester</p>  | <p>LW013 Tactical Vest Size:60x50mm Material:600D Oxford cloth Baffle:High Density Foam</p>  | <p>LW026 Tactical Vest Type 21 Material:600D Oxford cloth Colour:Jungle camouflage,desert camouflage,etc. Suitable for four seasons</p>  |
| <p>LCM002 camouflage sun hat Material:Cotton Category: big brim hat Top:dome</p>  | <p>LCA07 Armed Police Helmet Material:ABS engineering plastic Hood:80% polyester+20% cotton Weight:1.36kg</p>  | <p>LBE013 Tactical Helmet Cover Type 21 Material:polyester/cotton blended fabrics Colour:jungle camouflage,desert camouflage Specification:Suitable for QGF-03 Kevlar bulletproof helmet</p>  |
| <p>LED03 new assassination protective gear Material:PC plastic, synthetic leather, Oxford cloth, foam, sponge Size:MLXL Function:Protect important parts of the trainer's body</p>  | <p>LED04 Single soldier protective component Material: flame retardant PC + mesh lining Configuration: tactical gloves, arm protection, elbow protection, knee protection, calf protection, instep protection, arm protection, shoulder protection, chest protection, crotch protection, thigh protection, riot suit case and bag</p>  | <p>LW012 bulletproof vest Material: polymer polyethylene fibre Function: bulletproof riot anti-stabbing Level: three levels of protection</p>  |

Emergency kit package.

Be prepared, protect your family's health.



Fire fighting

Water area

Outdoor

Home

human defence

Epidemic



Home Life



Outdoor



Cycling



Car use

Emergency bag series/military and police supplies
















| | | |
|--|---|--|
| <p>LFA03 Military Climbing Bag Material: 1000D polyester Size: 45x37x20cm Structure: shoulder bag</p> | <p>LFA02 Climbing Work Kit Material: 1000D polyester Size: 45x37x20cm Structure: shoulder bag</p> | <p>LFA12 Survival Kit B Material: High strength waterproof 600D nylon Size: 15x10x9cm Structure: shoulder bag</p> |
| <p>LFA05 Family Emergency Kit B Material: waterproof oxford cloth Size: 28x23x16cm Structure: shoulder bag</p> | <p>LFA04 Family Emergency Kit A Material: waterproof oxford cloth Size: 28x23x16cm Structure: shoulder bag</p> | <p>LFA08 Disaster Relief Emergency Bag Material: waterproof oxford cloth Size: 41x33x22cm Structure: shoulder bag</p> |
| <p>LFA11 Survival Kit A Material: High strength waterproof 600D nylon Size: 15x10x9cm Structure: shoulder bag</p> | <p>LFA01 Military First Aid Bag Material: waterproof nylon Size: 20x12x6cm Structure: hand bag</p> | <p>LFA10 Outdoor Emergency Rescue Kit Material: waterproof nylon Size: 20x12x6cm Structure: hand bag</p> |
| <p>LFA09 Fire Rescue Bag Material: waterproof oxford cloth Size: 35x25x20cm Structure: shoulder bag</p> | <p>LFA06 Earthquake Civil Defence Emergency Bag Material: 600D Oxford cloth Size: 36x36x22cm Structure: shoulder bag</p> | <p>LFA14 Disaster Relief Emergency Bag Material: Oxford cloth Size: 42x34x18cm Structure: shoulder bag</p> |
| <p>LFA25 Firefighting Deluxe Emergency Bag Size: 50x30x30cm Type: shoulder bag</p> | <p>LFA26 Big buoyancy emergency bag Size: 35*16*42cm Type: shoulder bag</p> | <p>LFA28 Family Emergency Kit Size: 38x28x15cm Material: EVA</p> |

Security Equipment Set







Free mix and match of safety and security



Riot Control Equipment Series/Emergency Relief Materials

| | | |
|---|---|--|
| <p>LCA01 explosion-proof helmet Material: Polymer PC polyester/glass reinforced plastic Weight: 560g Fit: 57-61.5CM head circumference</p>  | <p>LCA12 high strength riot helmet Material: High strength high quality PC+ABS Size: L33*W23*H25cm Colour: military green Weight: 1.45KG</p>  | <p>LW014 anti-stabbing suit Product weight: 2.4KG Stab-proof fabric density: 2.8KG/m² single layer density 184G/m². Weight of stab-proof fabric: 830G/m²(0.3m²)</p>  |
| <p>LBX01 Riot Control Equipment Cabinet Material: High quality cold rolled steel plate Colour: blue Shelf: Adjustable 1-4 pieces</p>  | <p>LBX02 Riot Control Equipment Combination Shelf Material: Metal Size: 115x110x40cm Usage: Suitable for most riot control products put</p>  | <p>LYJ146 Shield holder Material: Cold rolled steel Specification: length 200 * width 200 * thickness 60cm Colour: green</p>  |
| <p>LED01 Riot Shield PC Shield Material: New material PC material Thickness: 3.5mm Suitable for: Campus/hospital/property security/training etc</p>  | <p>LED02 Riot Shield Alloy Shield Material: High strength alloy plate Thickness: 2.2mm Suitable for: Campus/hospital/Property Security/Training etc.</p>  | <p>LMS009 Riot Baton with Hand Guard Material: PC Length: 62cm Handle length: 14cm</p>  |
| <p>LMS006 Telescopic Riot Control Fork Material: High Strength Stainless Steel Calibre: 11cm Length: 120-200cm</p>  | <p>LMS007 Telescopic riot fork Material: High strength stainless steel Tube thickness: 1.5mm Length: 126-196cm</p>  | <p>LMS005 Telescopic Riot Fork Material: High Strength Stainless Steel Calibre: 48cm Length: 130-205cm</p>  |
| <p>LMS004 Riot Baton Material: PC Appearance: Round head hammer Length: 50cm</p>  | <p>LMS008 Riot Baton Wolf Tooth Baton Material: PC Length: 50cm Weight: 520g</p>  | <p>LBE016 Gunshot catch net Outer box size: L380*W250*H150mm Handle Size: 120mm Mesh length: 195mm</p>  |

Quartermaster and police supplies/bags and equipment series


| | | |
|---|--|--|
| <p>LBM17 Medium Rotomoulding Boxes Material:Low Density Linear Polyethylene (LLDPE) Size:58x42x32cm Colour:army green</p>  | <p>LBM16 small rotomoulding box Material:Low Density Linear Polyethylene (LLDPE) Size:48x33x19cm Colour:army green</p>  | <p>LBM18 long rotomoulding box Material:Low Density Linear Polyethylene (LLDPE) Size:80x40x20cm Colour:military green</p>  |
| <p>LBM15 Command work box Material:600D composite thickened oxford cloth Size:45x35x17cm Colour:camouflage</p>  | <p>LBM25 Cotton Padded Bag Material:camouflage oxford cloth Size:82x42x50cm Colour:camouflage</p>  | <p>LBM20 Forward shipment package Material:1000D waterproof Oxford cloth Size:61x35x29cm Colour:camouflage</p>  |
| <p>LBM22 Shooting Sandbag Material:Camouflage Oxford cloth Size:20x65cm Colour:camouflage</p>  | <p>LBM23 Command Flag Bag Material:Camouflage Oxford cloth Size:30x10cm Colour:camouflage</p>  | <p>LBM27 Cooler Bag Material:camouflage oxford cloth Size:Φ32x108cm Colour:camouflage</p>  |
| <p>LBM24 Battle Ready Pouch Material:Camouflage oxford cloth Size:42x28x12cm Colour:camouflage</p>  | <p>LBM21 Backpack Bag Material:900D waterproof oxford cloth Size:75x35x25cm Colour:camouflage</p>  | <p>LBM05 Military and Police Carrying Bag 65L Material:Oxford waterproof fabrics Size:75x35x24cm Weight:1.95kg</p>  |
| <p>LBM29 Forward Carrying Bag Type 21 Expanded Size:L70*H32*Thk3/37CM Folded Size:L36*H29*Thk6.5CM Product capacity:55-65L</p>  | <p>LBM30 Backpack Bag 21 Type Material: 1000D Oxford cloth Size: Length 40 * Height 70 * Thick 26CM Colour:starry jungle camouflage Built-in:Aluminum alloy stand</p>  | <p>LFA27 Handheld Emergency Kit Size:30*28*12cm Material: waterproof oxford cloth Type:shoulder bag</p>  |

Training materials series/military supplies and police supplies

| | | |
|--|---|--|
| <p>LTE001 Paul Type Telescope Compass Coordinate Version Magnification:7x Objective Lens Aperture:50mm Prism System:Paul Bak4</p>  | <p>LTE003 Roof Binoculars Magnification:8x Objective Lens Aperture:42mm Prism System:Roof</p>  | <p>LTE002 Ridge Binoculars Magnification:10x Objective Lens Aperture:42mm Prism System:Ridge</p>  |
| <p>LTE005 Binocular Thermal Imaging Telescope Resolution: 384x288 Field of view:7.5°x5.6° Focal length:50mm Product Features:Built-in 16G eMMC,Support photo, video,Support WiFi 1, GPS/BD positioning, electronic compass</p>  | <p>LMQ03 high power siren lighting shouting device Lighting power:1.5w Output sound level:~150dB Product size:295x160mm</p>  | <p>LMQ04 Ram's Horn Whistle Signal Horn Overall length:16cm Weight:100g Colour:army green</p>  |
| <p>LMQ06 Portable Hand Crank Siren Material:aluminum alloy Size:190*190*170mm Frequency:55to 20HZ Weight:1.2kg</p>  | <p>LMQ07 Electronic Horn Tone Playing Device Type A Case Material:ABS+PTE plastic Product Size:L220*W192*T165mm Function module: USB interface, 6.3 microphone input, 6.3 line input, 6.3 line output, DC 24V input, 32G local storage</p>  | <p>LMQ08 Electronic Horn Tone Playback Device Type B Output Audio:120~12000Hz(Fatness 10dB) Beamwidth:90°*60°@2.5kHz-5dB Product Dimensions:L 464*W 329*H 239mm</p>  |
| <p>LCM002 camouflage sun hat Material: Cotton Category: big brim hat Top:dome</p>  | <p>LBM19 Concomitant use Field battle Supply unit equipment Box size :866x746x524mm Weight:80kg Contains:59 pieces set</p>  | <p>LBE002 Thermal Fused Cotton Army Quilt 5kg 7kg 10kg Material: 100% cotton Lining:hot melt cotton Zip: side zip</p>  |
| <p>LQT001 Camouflage Gun Holster Gun Shirt 95-1 Material: camouflage oxford cloth Structure:Single layer Size:77x28cm</p>  | <p>LZT001 Latex Pillow Material:latex+cotton Colour:army green Size:44x25x7cm</p>  | <p>LBE001 towel quilt Material:Cotton+Polyester Weight:500g Size:200x150cm</p>  |

Outdoor Water Purifier

Individual Soldier purifier/team water purifier



Drinking water tools series/military and police supplies

LDO01 Double Insulated Water Bottle 800ML

Size: 7x16x21cm
Material: 304 stainless steel
Weight: 690g



LDO02 Military Kettle 700ML

Size: 16x11x7cm
Material: Aluminium Alloy
Weight: 350g



LDO10 Old Style Aluminium Water Bottle 1000ML

Size: 18x13x8mm
Material: Aluminium
Weight: 275g



LDO07 Police Flat Kettle 500ML

Size: 7x21.5cm
Material: 304 stainless steel
Weight: 260g



LDO08 Police Round Kettle 500M

Size: 8.5x21.5cm
Material: 304 stainless steel
Weight: 260g



LDO06 Police Duty Water Bottle 2000ML

Size: 115x310mm
Material: 304 stainless steel
Weight: 460g



LDO05 Police Insulated Cup Water Bottle 4000ML

Size: 65x225mm
Material: 304 stainless steel
Weight: 220g



LDO11 Camouflage Aluminium Water Bottle 1000ML

Capacity: 1000ML
Size: 20x12x9cm
Material: Aluminium



LDO09 Stainless Steel Water Purifier

Filtration precision: 0.0um
Main filter material: ABS+ fibre ultrafiltration membrane
Material: 304 stainless steel



LF01 Ceramic Filter Water Purifier

Main filter material: ceramic + carbon fibre
Product weight: 289g
Filtration precision: 0.1um



LF02 Ultra Filtration Membrane Carbon Fibre Water Purifier

Main filter material: ultrafiltration membrane + carbon fibre + PP cotton fibre
Product weight: 278g
Filtration precision: 0.01um



LF03 Ultra Filtration Membrane Drinking Water Purifier

Main filter material: ABS+fibre ultrafiltration membrane+carbon fibre
Product weight: 160g
Filtration precision: 0.01um



LF04 Ultra Filtration Drinking Water Purifier

Main Filter Material: ABS+Hollow Fibre Ultra Filtration Membrane
Product weight: 65g
Filtration precision: 0.01um



LF05 Outdoor emergency team water purifier

Five filter: stainless steel filter + PP cotton + activated carbon + hollow fibre ultrafiltration membrane + RO reverse osmosis
Product weight: 22.5kg
Filtration precision: 0.0001um



LDO12 flexible water tank water storage tank 2 cubic metres

Material: TPU+Polyurethane Polyester
Size: 1.92x0.9m
Colour: army green, camouflage





YRF
HOTEL SUPPLY



Visit Factory

360° VR panoramas we provide

<http://www.yrftextile.com>

Email: info@yrftextile.com

Whatsapp: +8613702995607